

Ø 16-63 mm



SYSTEM **KAN-therm**

Press LBP

Innovativeness and uniqueness
- One system, six functions



TECHNOLOGY OF SUCCESS



ISO 9001


System **KAN-therm** Press / Press LBP

- assortment

multilayer pipe PE-RT/Al/PE-RT designed for central heating, hot and cold water systems as well as for underfloor heating systems; operating pressure max. 10 bar

GROUP: B

Size	*	Code	Packing	UM	Price EUR/UM
14×2		0.9614	200/3000	m	
16×2		0.9616	200/3000	m	
20×2		0.9620	100/1500	m	
25×2,5		0.9625	50/750	m	
26×3		0.9626	50/600	m	
32×3		0.9632	50/600	m	
40×3,5		0.9640	25/300	m	



multilayer pipe PE-RT/Al/PE-RT designed for central heating, hot and cold water systems as well as for underfloor heating systems; operating pressure max. 10 bar

GROUP: B

Size	*	Code	Packing	UM	Price EUR/UM
32×3		0.9732	5/50	m	
40×3,5		0.9740	5/50	m	



multilayer pipe PE-Xc/Al/PE-Xc (PN12 series) designed for central heating, hot and cold water systems as well as for underfloor heating systems; operating pressure max. 10 bar

GROUP: B

Size	*	Code	Packing	UM	Price EUR/UM
50×4		0.9550	5/15	m	
63×4,5		0.9563	5/5	m	



multilayer pipe PE-RT/Al/PE-RT designed for central heating, hot and cold water systems as well as for underfloor heating systems; operating pressure max. 10 bar
- in 6 mm thermal insulation

GROUP: B

Size	*	Code	Packing	UM	Price EUR/UM
16×2 red		0.9616-6C	50	m	
16×2 blue		0.9616-6N	50	m	
20×2 red		0.9620-6C	50	m	
20×2 blue		0.9620-6N	50	m	
25×2,5 red		0.9625-6C	25	m	
25×2,5 blue		0.9625-6N	25	m	
32×3 red		0.9632-6C	50	m	
32×3 blue		0.9632-6N	50	m	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

pipe PE-Xc with EVOH layer acc. to DIN 4726 for radiator and underfloor heating up to 6 bar

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
16×2		0.2146	200/3000	m	
20×2	*	K-150005	200/3000	m	

Caution:

PE-Xc pipes may only be connected with KAN-therm Press LBP fittings and Eurocone adapters for PE-Xc, PE-RT pipes.



pipe PE-RT with EVOH layer acc. to DIN 4726 for radiator and underfloor heating up to 6 bar

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
16×2		0.2176	200/3000	m	
20×2	*	K-100305	200/3000	m	

Caution:

PE-RT pipes may only be connected with KAN-therm Press LBP fittings and Eurocone adapters for PE-Xc, PE-RT pipes.



Press straight male connector

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 G½"		K-900000	20/200	pc	
20×2 G½"		K-900001	10/120	pc	
20×2 G¾"		K-900002	10/120	pc	
25×2,5 G½"		K-080070	5/50	pc	
25×2,5 G¾"		K-900003	5/50	pc	
25×2,5 G1"		K-900004	5/50	pc	
26×3 G½"		K-080069	5/50	pc	
26×3 G¾"		K-080064	5/50	pc	
26×3 G1"		9024.65	5/50	pc	
32×3 G1"		K-900005	5/40	pc	
32×3 G1¼"		K-900006	5/40	pc	
40×3,5 G1"		K-080068	2/20	pc	
40×3,5 G1¼"		K-900007	2/20	pc	
40×3,5 G1½"		K-900008	2/20	pc	
50×4 G1½"		K-900009	2/20	pc	
63×4,5 G2"		K-900010	1/10	pc	



Press straight female connector

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 G½"		K-900100	20/160	pc	
20×2 G½"		K-900101	10/120	pc	
20×2 G¾"		K-900102	10/80	pc	
25×2,5 G¾"		K-080125	5/50	pc	
25×2,5 G1"		K-900103	5/40	pc	
26×3 G¾"		K-080089	5/50	pc	
26×3 G1"		9024.88	5/40	pc	
32×3 G1"		K-080126	5/40	pc	
32×3 G1¼"		K-900104	5/40	pc	
40×3,5 G1"		K-080096	2/20	pc	
40×3,5 G1¼"		K-080097	2/20	pc	
40×3,5 G1½"		K-900105	2/20	pc	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

PPSU Press stright female connector

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 G½"		K-070253	10/120	pc	



Press Compression fitting

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 15		K-900381	10/150	pc	
20×2 / 22		K-900382	10/80	pc	
25×2,5 / 22		K-900383	5/50	pc	

Caution:

The fitting can be used with system copper Press and System KAN-therm Steel & Inox.



Press compression elbow

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 15	*	K-080551	10/120	pc	

Caution:

The coupling can be used with system copper Press and System KAN-therm Steel & Inox.



Press transition fitting Push/Press

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 16×2		K-902716	20/160	pc	
18×2 / 16×2		K-902717	20/160	pc	
18×2,5 / 16×2		K-902718	20/160	pc	



Press PPSU coupling

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 16×2		K-900250	20/200	pc	
20×2 / 20×2		K-900251	10/150	pc	
25×2,5 / 25×2,5		K-900252	5/60	pc	
26×3 / 26×3		K-070072	5/60	pc	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

Press straight coupling

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 14×2		K-080202	20/200	pc	
32×3 / 32×3		K-900203	5/40	pc	
40×3,5 / 40×3,5		K-900204	2/20	pc	
50×4 / 50×4		K-900205	2/20	pc	
63×4,5 / 63×4,5		K-900206	1/5	pc	



Press PPSU reducing coupling

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
20×2 / 16×2		K-900350	20/160	pc	
25×2,5 / 16×2		K-900351	5/70	pc	
26×3 / 16×2		K-070066	5/70	pc	
25×2,5 / 20×2		K-900352	5/70	pc	
26×3 / 20×2		K-070076	5/70	pc	



Press reducing coupling

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
32×3 / 16×2		K-080128	5/40	pc	
32×3 / 20×2		K-900310	5/40	pc	
32×3 / 25×2,5		K-900303	5/40	pc	
32×3 / 26×3		9024.67	5/40	pc	
40×3,5 / 20×2		K-080090	2/30	pc	
40×3,5 / 25×2,5		K-900313	2/30	pc	
40×3,5 / 26×3		K-080092	2/30	pc	
40×3,5 / 32×3		K-900304	2/20	pc	
50×4 / 32×3		K-900305	2/20	pc	
50×4 / 40×3,5		K-900306	2/20	pc	
63×4,5 / 40×3,5		K-900307	1/10	pc	
63×4,5 / 50×4		K-900308	1/10	pc	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

Press male branch tee

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½" / 16×2		K-903000	5/60	pc	
20×2 / G½" / 20×2		K-083004	5/50	pc	
20×2 / G¾" / 20×2		K-903001	5/50	pc	
25×2,5 / G¾" / 25×2,5		K-080129	2/30	pc	
25×2,5 / G1" / 25×2,5		K-903002	2/30	pc	
26×3 / G¾" / 26×3		K-080130	2/30	pc	
26×3 / G1" / 26×3		K-083003	2/30	pc	
32×3 / G1" / 32×3		K-903003	2/20	pc	
40×3,5 / G1" / 40×3,5		K-903007	1/10	pc	
50×4 / G1" / 50×4	***	9050.110	1/10	pc	
63×4,5 / G1" / 63×4,5	***	9063.110	-/5	pc	



Press male branch reducing tee

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
63×4,5 / G1" / 50×4	***	9063.120	-/5	pc	



brass fitting adapter female 1" × male ¾"

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
G1"×G¾"	***	9032.02	5/60	pc	



Press female branch reducing tee

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½" / 16×2		K-904000	5/60	pc	
20×2 / G½" / 20×2		K-904001	5/50	pc	
20×2 / G¾" / 20×2		K-904003	5/50	pc	
25×2,5 / G½" / 25×2,5		K-080166	2/30	pc	
26×3 / G½" / 26×3		K-080167	2/30	pc	
25×2,5 / G¾" / 25×2,5		K-904002	2/30	pc	
26×3 / G¾" / 26×3		K-084004	2/30	pc	
32×3 / G½" / 32×3		K-084006	2/20	pc	
32×3 / G¾" / 32×3		K-084008	2/20	pc	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

Press PPSU tee

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 16×2 / 16×2		K-900500	10/80	pc	
20×2 / 20×2 / 20×2		K-900501	5/50	pc	
25×2,5 / 25×2,5 / 25×2,5		K-900502	2/30	pc	
26×3 / 26×3 / 26×3		9024.54	2/30	pc	
32×3 / 32×3 / 32×3		K-900503	2/20	pc	
40×3,5 / 40×3,5 / 40×3,5		K-900504	1/10	pc	
50×4 / 50×4 / 50×4		9050.100	1/6	pc	
63×4,5 / 63×4,5 / 63×4,5		9063.100	-/3	pc	
16×2 / 20×2 / 16×2		K-900607	5/60	pc	
20×2 / 16×2 / 16×2		K-900600	10/60	pc	
20×2 / 16×2 / 20×2		K-900601	5/50	pc	
20×2 / 20×2 / 16×2		K-900606	5/50	pc	
20×2 / 25×2,5 / 20×2		K-900608	2/30	pc	
20×2 / 26×3 / 20×2		K-070621	2/30	pc	
25×2,5 / 20×2 / 16×2		K-070618	5/50	pc	
25×2,5 / 16×2 / 20×2		K-900602	5/50	pc	
25×2,5 / 16×2 / 25×2,5		K-900603	2/30	pc	
25×2,5 / 20×2 / 20×2		K-900604	2/30	pc	
25×2,5 / 20×2 / 25×2,5		K-900605	2/30	pc	
25×2,5 / 25×2,5 / 20×2		K-070622	2/30	pc	
25×2,5 / 32×3 / 25×2,5		K-070026	2/20	pc	
26×3 / 16×2 / 20×2		9024.950	5/50	pc	
26×3 / 16×2 / 26×3		9024.940	2/30	pc	
26×3 / 20×2 / 16×2		K-070619	5/50	pc	
26×3 / 20×2 / 20×2		9024.61	2/30	pc	
26×3 / 20×2 / 26×3		9024.600	2/30	pc	
26×3 / 26×3 / 20×2		K-070623	2/30	pc	
26×3 / 32×3 / 26×3		K-070027	2/20	pc	
32×3 / 16×2 / 32×3		K-900609	2/20	pc	
32×3 / 20×2 / 25×2,5		K-900610	2/20	pc	
32×3 / 20×2 / 26×3		9024.970	2/20	pc	
32×3 / 20×2 / 32×3		K-900611	2/20	pc	
32×3 / 25×2,5 / 25×2,5		K-900612	2/20	pc	
32×3 / 25×2,5 / 32×3		K-900613	2/20	pc	
32×3 / 26×3 / 26×3		9024.630	2/20	pc	
32×3 / 26×3 / 32×3		9024.620	2/20	pc	
32×3 / 32×3 / 20×2		K-070615	2/20	pc	
32×3 / 32×3 / 25×2,5		K-070616	2/20	pc	
32×3 / 32×3 / 26×3		K-070617	2/20	pc	
40×3,5 / 20×2 / 32×3		K-900616	1/12	pc	
40×3,5 / 20×2 / 40×3,5		K-900614	2/12	pc	
40×3,5 / 25×2,5 / 32×3		K-900617	2/12	pc	
40×3,5 / 25×2,5 / 40×3,5		K-900615	2/12	pc	
40×3,5 / 26×3 / 32×3		9040.140	2/12	pc	
40×3,5 / 26×3 / 40×3,5		9040.120	2/12	pc	
40×3,5 / 32×3 / 32×3		K-900618	2/12	pc	
40×3,5 / 32×3 / 40×3,5		K-900619	1/10	pc	
40×3,5 / 40×3,5 / 32×3		K-071012	1/10	pc	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

Press brass reducing tee

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
50×4 / 20×2 / 50×4		K-081101	1/10	pc	
50×4 / 25×2,5 / 40×3,5		K-081105	1/10	pc	
50×4 / 25×2,5 / 50×4		K-081102	1/10	pc	
50×4 / 26×3 / 40×3,5		K-081115	1/10	pc	
50×4 / 26×3 / 50×4		K-081116	1/10	pc	
50×4 / 32×3 / 40×3,5		K-081103	1/10	pc	
50×4 / 32×3 / 50×4		K-081104	1/10	pc	
50×4 / 40×3,5 / 40×3,5		K-081107	1/10	pc	
50×4 / 40×3,5 / 50×4		K-081106	1/8	pc	
63×4,5 / 20×2 / 63×4,5		K-081108	1/5	pc	
63×4,5 / 25×2,5 / 63×4,5		K-081109	1/5	pc	
63×4,5 / 26×3 / 63×4,5		K-081117	1/5	pc	
63×4,5 / 32×3 / 50×4		K-081110	1/5	pc	
63×4,5 / 32×3 / 63×4,5		K-081111	1/5	pc	
63×4,5 / 40×3,5 / 63×4,5		K-081118	1/5	pc	
63×4,5 / 40×3,5 / 50×4		K-081112	1/5	pc	
63×4,5 / 50×4 / 50×4		K-081114	1/5	pc	
63×4,5 / 50×4 / 63×4,5		K-081113	1/5	pc	



Crossing pair single Press

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 16×2 / 16×2		K-900650	1/6	pc	
16×2 / 16×2 / 20×2		K-900651	1/6	pc	
20×2 / 16×2 / 16×2		K-900652	1/6	pc	
20×2 / 20×2 / 20×2		K-900654	1/6	pc	
20×2 / 16×2 / 20×2		K-900653	1/6	pc	

Caution:

Elements in nickel plated version.
Not suitable for potable water systems.



Press PPSU 90° elbow

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 16×2		K-900400	15/150	pc	
20×2 / 20×2		K-900401	10/80	pc	
25×2,5 / 25×2,5		K-900402	5/40	pc	
26×3 / 26×3		9024.49	5/40	pc	
32×3 / 32×3		K-900403	2/30	pc	
40×3,5 / 40×3,5		K-900404	2/20	pc	
50×4 / 50×4		K-900405	2/10	pc	
63×4,5 / 63×4,5		K-900406	-/5	pc	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

Press male branch elbow 90°

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½"		K-901000	10/120	pc	
20×2 / G½"		K-081025	10/100	pc	
20×2 / G¾"		K-901001	10/100	pc	
25×2,5 / G¾"		K-080160	5/40	pc	
25×2,5 / G1"		K-901002	5/40	pc	
26×3 / G¾"		K-080161	5/40	pc	
26×3 / G1"		K-081003	5/40	pc	
32×3 / G1"		K-901003	2/30	pc	
40×3,5 / G1¼"		K-080163	2/20	pc	



Press female branch elbow 90°

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½"		K-902000	10/120	pc	
20×2 / G½"		K-902001	10/100	pc	
20×2 / G¾"		K-902002	5/60	pc	
25×2,5 / G¾"		K-902003	5/30	pc	
25×2,5 / G1"		K-080172	5/30	pc	
26×3 / G¾"		K-082004	5/30	pc	
26×3 / G1"		K-080173	5/30	pc	
32×3 / G1"		K-080174	2/30	pc	
40×3,5 / G1¼"		K-080164	2/20	pc	



Press PPSU elbow 45°

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
32×3 / 32×3		K-900410	2/30	pc	
40×3,5 / 40×3,5		K-900411	2/20	pc	
50×4 / 50×4		K-900412	1/10	pc	
63×4,5 / 63×4,5		K-900413	-/5	pc	



mixer tap fixture branch Press type "U"

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×½×16	**	K-085081	1	pc	
20×½×20	**	K-085082	1	pc	



rubber acoustic guard for mixer tap fixture branches type "U"

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16-20	**	K-085035	1	pc	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

PPSU Press wallplate elbow, with short plastic plug

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½"		K-905000	5/50	pc	
20×2 / G½"		K-905001	5/50	pc	

Caution:

Press Wallplate elbow is sold with steel sleeve, fixing bolt and short plastic plug in a set. Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently. Sealing compounds like adhesives which are chemical aggressive should not be used. Use only bow with sealing compound.



PPSU Press wallplate elbow with nuts, (applicable for dry plaster)

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½"		K-085068	2/20	pc	

Caution:

Sealing compounds like adhesives which are chemical aggressive should not be used. Use only bow with sealing compound.



long wallplate elbow, with short plastic plug

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½"		K-905002	5/40	pc	
20×2 / G½"		K-905023	5/40	pc	

Caution:

Press Wallplate elbow is sold with steel sleeve and short plastic plug in a set. Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently. Sealing compounds like adhesives which are chemical aggressive should not be used. Use only bow with sealing compound.



Press wallplate angle tee, with short plastic plug

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½"		K-905003	5/40	pc	
20×2 / G½"		K-085104	5/40	pc	

Caution:

Press Wallplate elbow is sold with steel sleeve, fixing bolt and short plastic plug in a set. Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently. Sealing compounds like adhesives which are chemical aggressive should not be used. Use only bow with sealing compound.



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

Press LBP wallplate angle tee directly fixed with short plastic plug

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½"		K-085071	5/40	pc	
20×2 / G½"		K-085072	5/40	pc	

Caution:

Press Wallplate elbow is sold with steel sleeve and short plastic plug in a set.
Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently.
Sealing compounds like adhesives which are chemical aggressive should not be used.
Use only bow with sealing compound.



rubber acoustic muffler

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16-20		K-085030	5/25	pc	

Caution:

Use only with: K-905022, K-085069, K-085070.



Press wallplate elbow, directly fixed

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½"		K-905022	5/50	pc	
20×2 / G½"		K-085069	5/50	pc	

Caution:

Press Wallplate elbow is sold with steel sleeve and short plastic plug in a set.
Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently.
Sealing compounds like adhesives which are chemical aggressive should not be used.
Use only bow with sealing compound.



Press wallplate elbow, directly fixed - without plug

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
20×2 / G¾"		K-085070	5/50	pc	
25×2,5 / G¾"		K-905026	2/30	pc	
26×3 / G¾"		K-085027	2/30	pc	

Caution:

Press Wallplate elbow is sold with steel sleeve.
Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently.
Sealing compounds like adhesives which are chemical aggressive should not be used.
Use only bow with sealing compound



Press flat wallplate tee with short plastic plug

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
20×2 / G½"		K-905005	5/50	pc	

Caution:

Press Wallplate elbow is sold with steel sleeve, fixing bolt and short plastic plug in a set. Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently. Sealing compounds like adhesives which are chemical aggressive should not be used. Use only bow with sealing compound.



flat wallplate tee directly fixed with short plastic plug

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
20×2 / G½"		K-085010	5/40	pc	

Caution:

Press Wallplate elbow is sold with steel sleeve, fixing bolt and short plastic plug in a set. Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently. Sealing compounds like adhesives which are chemical aggressive should not be used. Use only bow with sealing compound.



Press LBP wallplate tee with nuts (applicable for dry plaster)

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½" / 16×2		K-084010	2/20	pc	
20×2 / G½" / 16×2		K-084020	2/20	pc	
20×2 / G½" / 20×2		K-084030	2/20	pc	

Caution:

Sealing compounds like adhesives which are chemical aggressive should not be used. Use only bow with sealing compound.



wallplate elbows set with mounting plate

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / G½"		K-201050	1/10	pc	

Caution:

Press Wallplate elbow is sold with steel sleeve, fixing bolt and short plastic plug in a set. Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently. Sealing compounds like adhesives which are chemical aggressive should not be used. Use only bow with sealing compound.



Press transition fitting Press × Press

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 12	*	K-080380	20/160	pc	
16×2 / 15		K-900344	20/160	pc	
20×2 / 22		K-900345	10/120	pc	
25×2,5 / 22		K-900342	5/60	pc	
25×2,5 / 28		K-080384	5/60	pc	
26×3 / 22		K-080386	5/60	pc	
26×3 / 28		K-080385	5/60	pc	

Caution:

The fitting can be used with system Copper Press and System KAN-therm Steel & Inox.



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

plastic mounting plate

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
single		6090.050	20/200	pc	
double (L=150mm)		6090.060	10/70	pc	
double (L=80mm)		6090.070	20/120	pc	
double (L=50mm)		6090.080	15/150	pc	

Caution:
Used for mounting wallplates.




metal mounting plate

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
double (L= 80, 150mm)		6090.13	1/42	pc	

Caution:
Mounting plate allows for fixing standard and directly fixed wallplate elbows.
Mounting plate includes screws for directly fixed wallplate elbows (6 pcs.)




metal mounting plate

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
double (L=50, 80, 150mm)		6090.09	120	pc	
double (L=50mm)		6090.10	150	pc	

Caution:
Used for mounting wallplates.




Press tee for radiator connection with dia 15 copper pipe L=300 mm, nickel plated

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 16×2		K-901930	40	pc	
20×2 / 20×2		K-901931	30	pc	
20×2 / 16×2 left		K-901932	30	pc	
20×2 / 16×2 right		K-901933	30	pc	

Use RH and LH reduction tees to connect radiators. RH tee identification: looking at bigger diameter the copper pipe bow should be at the right side.

Caution: Possibilities of connection fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".




Press tee for radiator connection with dia 15 copper pipe L=750 mm, nickel plated

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 16×2		K-901934	25	pc	
20×2 / 20×2		K-901935	20	pc	
20×2 / 16×2 left		K-901936	20	pc	
20×2 / 16×2 right		K-901937	20	pc	

Use RH and LH reduction tees to connect radiators. RH tee identification: looking at bigger diameter the copper pipe bow should be at the right side.

Caution: Possibilities of connection fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".





Press fixed elbow for radiator connection with dia 15 copper pipe, nickel plated

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 L _{min} = 210 mm		K-901700	40	pc	
16×2 L _{min} = 300 mm		K-901701	40	pc	
16×2 L _{min} = 750 mm		K-901810	25	pc	

Caution:

Possibilities of connection fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".




Press double fixed elbow for radiator connection with dia 15 copper pipe, nickel plated

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2 L _{min} = 200 mm		K-901800	15	pc	
16×2 L _{min} = 300 mm		K-901801	10	pc	

Caution:

Possibilities of connection fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".




Press LBP half union with flat rubber gasket

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×G1/2"		K-080250	10/120	pc	
16 G3/4"		K-080251	10/120	pc	
20 G3/4"		K-080253	10/80	pc	
20×G1"		K-080252	5/60	pc	
25 G3/4"		K-080114	5/60	pc	
25×G1"		K-080255	5/60	pc	
25×G1 1/4"		K-080254	5/50	pc	
26 G3/4"		K-080108	5/60	pc	
26×G1"		K-080109	5/60	pc	
26×G1 1/4"		K-080110	5/50	pc	
32×G1"		K-080107	5/50	pc	
32×G1 1/4"		K-080257	5/40	pc	
32×G1 1/2"		K-080256	5/40	pc	
40×G1 1/2"		K-080258	2/30	pc	
40×G2"		K-080259	2/30	pc	

Caution:

Do not apply for manifold connections.



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

Press eurocone adapter

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16 G $\frac{3}{4}$ "		K-900112	10/120	pc	
32 G1"		K-900111	5/50	pc	



Press stop end

GROUP: F

Size	*	Code	Packing	UM	Price EUR/UM
16×2		K-609032	20/300	pc	
20×2		K-609033	20/200	pc	
25×2.5		K-609034	10/120	pc	
26×3		K-609062	10/120	pc	
32×3		K-609035	5/50	pc	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

Screw connections

eurocone adapter for PE-Xc & PE-RT pipes

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
16 G $\frac{3}{4}$ "		9006.57	15/150	pc	
20 G $\frac{3}{4}$ "		K-601705	15/150	pc	

Caution:
pipe joints work with fittings for pipe couplings and distributors with nipples.




pie joint with PPSU casing for multilayer pipes of KAN-therm system

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
16 G $\frac{3}{4}$ "		9010.08N	1	pc	

Caution:
pipe joints work with fittings for pipe couplings and distributors with nipples.



eurocone adapter for multilayer pipe

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
16 G $\frac{1}{2}$ "		9012.00N	20/200	pc	
16 G $\frac{3}{4}$ "		9012.08N	15/150	pc	
20 G $\frac{3}{4}$ "		9012.02N	10/120	pc	

Caution:
pipe joints work with fittings for pipe couplings and distributors with nipples.



adapter for multilayer pipe (fixed ring)

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14 G $\frac{1}{2}$ "		9012.060	20/200	pc	
14 G $\frac{3}{4}$ "		9012.60	15/150	pc	
16 G $\frac{1}{2}$ "		9012.00	20/200	pc	
16 G $\frac{3}{4}$ "		9012.080	10/120	pc	
20 G $\frac{3}{4}$ "		9012.020	10/120	pc	
20 G1"		9012.100	5/80	pc	
25 G1"		9026.330	10/80	pc	
26 G1"		9012.040	10/80	pc	



straight male connector

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
16×2 G $\frac{1}{2}$ "		9025.01	10/150	pc	
16 G $\frac{3}{4}$ "		9025.04	10/80	pc	

Caution:
The fitting is designed to be fixed directly into the manifold beam – connection sealing is provided by the O-Ring seal.



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

Tools - Press

manual press tool

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		ZAPR02	1	pc	

Caution:

Used for pipe connections with Ø16, Ø20, Ø25, Ø26 mm.



press jaw

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
14		ZAPR14R	1	pc	
16		ZAPR16R	1	pc	
20		ZAPR20R	1	pc	
25		ZAPR25R	1	pc	
26		ZAPR26R	1	pc	
32		ZAPRE32	1	pc	
40		ZAPRE40	1	pc	
50	*	ZAPRE50	1	pc	
63	*	ZAPRE63	1	pc	



pipe cutter for cutting multilayer pipes Ø14-32

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		RS1435	1/20	pc	



replacement blade for pipe cutter for cutting multilayer pipes Ø14-32

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		RSM1435	1	pc	



pipe roll-cutters for diameter Ø16-63

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		2519950	1	pc	



blade for roll-cutters for cutting multilayer pipes Ø16-63 - service element

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		290016	1	pc	



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

calibration and internal bevelling tool for multilayer pipes

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
14	*	KL14	1	pc	
16		KL16	1	pc	
20		KL20	1	pc	
2526		KL26	1	pc	



calibration and internal bevelling universal tool for multilayer pipes

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
16 / 20 / 25-26		KL162026	1	pc	
25-26 / 32 / 40		KL263240	1	pc	
50-63	*	KL5063	1	pc	



case for manual tools

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
	*	002.001.000	1	pc	

Caution:

Price comprises only case price, without equipment. May contain manual press tool, press jaws: ZAPR16R, ZAPR20R, ZAPR25R or ZAPR26R, pipe cutter RS1435, calibration tools KL16, KL20, KL26, KL162026.



battery press tool "mini" - case set

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		KPPMINI	1	pc	

Caution:

- It consists of the following items:
- battery press tool AFP101 - 1 pcs.
 - battery charger - 1 pcs.
 - battery 3,0 Ah - 2 pcs.
 - press jaw U16 - 1 pcs.
 - press jaw U20 - 1 pcs.
 - press jaw U25 - 1 pcs.
 - press jaw U32 - 1 pcs.
 - case - 1 pc.



manual press tools - case set

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		KPPZ/M	1	pc	

Caution:

- Press tool is sold with a case.
It consists of the following items:
- manual press tool; ZAPR02,
 - press jaw; ZAPR16R,
 - press jaw; ZAPR20R,
 - press jaw; ZAPR25R (code set: KPPZ/M25), or Ø26 for press tool; ZAPR26R (code set: KPPZ/M),
 - pipe cutter; RS1435,
 - calibration and internal bevelling universal tool for multilayer pipes Ø16/Ø20/Ø25-26; KL162026,
 - case for manual tools; 002.001.000.



manual press tools – light case set

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		KPPZ-L	1	pc	

Caution:

- Press tool is sold with a case (002.001.000).
It consists of the following items:
- manual press tool; ZAPR02,
 - press jaw; ZAPR16R,
 - press jaw; ZAPR20R,
 - calibration and internal bevelling tool for multilayer pipes Ø16; KL16,
 - calibration and internal bevelling tool for multilayer pipes Ø20; KL20,
 - case for manual tools; 002.001.000.

The set is used for diameters of 16-20 mm.



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends

electric 220V press machine with case

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		ZAPR01	1	pc	



Caution:

Electric 230 V press machine is solid with a case in a set.
The set doesn't include jaws and other tools.



rechargeable battery press machine

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		ZAPRAK	1	pc	



Caution:

Battery press machine is solid with a case in a set.
The set doesn't include jaws and other tools.



external bending spring for multilayer pipes

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
14	*	SZ-1410	1	pc	
16		SZ-1612	1	pc	
20		SZ-2016	1	pc	
25-26		SZ-2620	1	pc	



internal bending spring for multilayer pipes

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
14	*	SW-1410	1	pc	
16		SW-1612	1	pc	
20		SW-2016	1	pc	
25-26		SW-2620	1	pc	



special spanner for eurocone adapters

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
30 mm	*	K-501900	1	pc	

Caution:

The spanner intended for eurocone adapter G $\frac{3}{4}$ " montage.



* on request (delivery time up to 4 weeks)

** availability by individual arrangements

*** till stock ends