

Ø 12-32 mm



SYSTEM **KAN-therm**

# Push Push Platinum

Reliability and Prestige



TECHNOLOGY OF SUCCESS



ISO 9001

# System **KAN-therm** Push/ Push Platinum - assortment

## multilayer pipe PE-Xc/Al/PE-HD Push Platinum

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
14×2		0.1420	200/3000	m	
18×2,5		0.1825	200/3000	m	
25×3,5		0.2535	50/750	m	
32×4,4		0.3244	25/375	m	



## pipe PE-Xc with EVOH layer acc. DIN 4726

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
12×2		0.2144	200/4000	m	
14×2		0.2145	200/4000	m	
18×2,5		0.9119	200/3000	m	
25×3,5		0.9127	50/1000	m	
32×4,4		0.9133	25/500	m	



## pipe PE-Xc with EVOH layer acc. DIN 4726 in a bar

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
32×4,4		0.9135	5/50	m	



## pipe PE-Xc with EVOH layer acc. DIN 4726 - in 6 mm thermal insulation

GROUP: C


Size	*	Code	Packing	UM	Price EUR/UM
12×2 red		0.2144-6C	50/750	m	
12×2 blue		0.2144-6N	50/750	m	
14×2 red		0.2145-6C	50/750	m	
14×2 blue		0.2145-6N	50/750	m	
18×2,5 red		0.9119-6C	50/750	m	
18×2,5 blue		0.9119-6N	50/750	m	



## pipe PE-RT with EVOH layer acc. DIN 4726

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
12×2		0.2174	200/4000	m	
14×2		0.2175	200/4000	m	
18×2,5		0.2177	200/3000	m	
25×3,5		0.9226	50/1000	m	
32×4,4		0.9228	25/500	m	



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

pipe PE-RT with EVOH layer acc. DIN 4726 - in 6 mm thermal insulation

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
14×2 red		0.2175-6C	50/750	m	
14×2 blue		0.2175-6N	50/750	m	
18×2,5 red		0.2177-6C	50/750	m	
18×2,5 blue		0.2177-6N	50/750	m	
25×3,5 red	*	0.9226-6C	25/375	m	
25×3,5 blue	*	0.9226-6N	25/375	m	



Push brass connector, with flange, with male thread

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 G½"		9014.580	10/150	pc	
14×2 G½"		9006.37K	10/150	pc	
18×2,5 G½"		9006.39K	10/150	pc	
18×2,5 G¾"		9006.90K	10/150	pc	
25×3,5 G½"		9014.98	10/100	pc	
25×3,5 G¾"		9014.220	10/100	pc	
25×3,5 G1"		9014.200	5/70	pc	
32×4,4 G1"		9019.030	5/50	pc	



Push connector PPSU, with flange, with female thread

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 G½"		9019.47	10/120	pc	
18×2,5 G½"		9019.46	10/120	pc	



Push brass connector, with flange, with female thread

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 G½"		9014.590	10/150	pc	
14×2 G½"		9014.270	10/150	pc	
18×2,5 G½"		9014.290	10/150	pc	
18×2,5 G¾"		9014.380	10/120	pc	
25×3,5 G½"		9014.400	10/100	pc	
25×3,5 G¾"		9014.300	5/70	pc	
32×4,4 G1"		9019.040	5/50	pc	



PPSU Push coupling

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 14×2		9019.23	20/200	pc	
18×2,5 / 18×2,5		9019.26	20/160	pc	
25×3,5 / 25×3,5		9019.28	10/100	pc	
18×2,5 / 14×2		9019.27	20/200	pc	
25×3,5 / 18×2,5		9019.30	10/100	pc	



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

## Push coupling, reducing

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 / 12×2		9014.610	50/700	pc	
14×2 / 14×2	***	9006.06	50/500	pc	
32×4,4 / 32×4,4		9019.050	5/60	pc	
14×2 / 12×2		9016.250	50/500	pc	
18×2,5 / 12×2		9006.04	20/400	pc	
18×2,5 / 14×2	***	9019.130	20/400	pc	
25×3,5 / 18×2,5	***	9006.11CN	20/200	pc	
32×4,4 / 25×3,5		9019.120	5/70	pc	



## brass coupling Push - service element

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 18×2,5		9006.12KPL	1/50	pc	

### Caution:

Coupling allows for connecting diameter 18x2, 5 to the existing installation made in the diameter 18x2,0. Connector includes two System KAN-therm Push sliding sleeves in diameter 18 mm (code 9001.80).



## Push tee PPSU

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 / 12×2 / 12×2		9014.650	20/200	pc	
14×2 / 14×2 / 14×2		9018.250	10/100	pc	
18×2,5 / 18×2,5 / 18×2,5		9018.020	10/80	pc	
25×3,5 / 25×3,5 / 25×3,5		9018.030	5/40	pc	
32×4,4 / 32×4,4 / 32×4,4		9018.69	2/20	pc	
14×2 / 12×2 / 12×2		9014.570	20/200	pc	
14×2 / 12×2 / 14×2		9014.560	20/200	pc	
14×2 / 18×2,5 / 14×2		9018.650	10/100	pc	
18×2,5 / 14×2 / 14×2		9018.730	10/80	pc	
18×2,5 / 14×2 / 18×2,5		9018.720	10/80	pc	
18×2,5 / 25×3,5 / 18×2,5		9018.240	5/40	pc	
25×3,5 / 14×2 / 18×2,5		9018.760	5/40	pc	
25×3,5 / 14×2 / 25×3,5		9018.740	5/40	pc	
25×3,5 / 18×2,5 / 18×2,5		9018.070	5/40	pc	
25×3,5 / 18×2,5 / 25×3,5		9018.080	5/40	pc	
32×4,4 / 18×2,5 / 25×3,5		9018.510	2/20	pc	
32×4,4 / 18×2,5 / 32×4,4		9018.530	2/20	pc	
32×4,4 / 25×3,5 / 25×3,5		9018.500	2/20	pc	
32×4,4 / 25×3,5 / 32×4,4		9018.520	2/20	pc	



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

### Push brass tee

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 14×2 / 14×2	***	9006.16B	20/200	pc	
25×3,5 / 25×3,5 / 25×3,5	***	9006.20B	5/60	pc	
18×2,5 / 12×2 / 12×2		9013.580	10/120	pc	
18×2,5 / 12×2 / 14×2		9013.660	10/120	pc	
18×2,5 / 12×2 / 18×2,5		9013.620	10/120	pc	
18×2,5 / 18×2,5 / 14×2		9013.73	10/100	pc	
25×3,5 / 12×2 / 18×2,5		9013.38	5/60	pc	
25×3,5 / 12×2 / 25×3,5		9013.40	5/60	pc	
25×3,5 / 18×2,5 / 25×3,5	***	9006.66B	5/60	pc	
25×3,5 / 32×4,4 / 25×3,5		9013.720	2/20	pc	
32×4,4 / 14×2 / 32×4,4		9006.680	2/20	pc	



### Push crossing pair single

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 14×2 / 14×2		9019.32	1/6	pc	

**Caution:**

Brass nickel plated version with polystyrene insulation. Not suitable for potable water installations.



### Push elbow PPSU

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 14×2		9018.170	20/300	pc	
18×2,5 / 18×2,5		9018.190	20/160	pc	
25×3,5 / 25×3,5		9018.200	5/60	pc	
32×4,4 / 32×4,4		9018.560	5/30	pc	



### Push brass elbow

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 / 12×2		9006.09	20/400	pc	
14×2 / 14×2	***	9006.11B	20/400	pc	
25×3,5 / 25×3,5	***	9006.15B	10/80	pc	



### Push brass elbow, with male thread

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 15Cu - G½"		9029.12	20/200	pc	
18×2,5 / 15Cu - G½"		9029.11	20/200	pc	

**Caution:**


To connect these male elbows to copper pipes use eurocone adapter for copper pipe Ø15, G½", code K-609010.



### coupling for radiator connection with multilayer pipe, L<sub>min</sub> = 500 mm

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 14×2		9027.160	50	pc	
16×2 / 18×2,5		9027.180	50	pc	



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

### fixed elbow for radiator connection with dia 15 copper pipe, nickel plated

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 L <sub>min</sub> = 210 mm		9016.230	60	pc	
12×2 L <sub>min</sub> = 300 mm		9016.110	40	pc	
12×2 L <sub>min</sub> = 750 mm		9016.27	25	pc	
14×2 L <sub>min</sub> = 210 mm		9014.450	60	pc	
14×2 L <sub>min</sub> = 300 mm		9016.000	50	pc	
14×2 L <sub>min</sub> = 750 mm		9016.010	25	pc	
18×2,5 L <sub>min</sub> = 210 mm		9015.230	60	pc	
18×2,5 L <sub>min</sub> = 300 mm		9016.020	40	pc	
18×2,5 L <sub>min</sub> = 750 mm		9016.030	25	pc	

**Caution:**

Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".




### double fixed elbow for radiator connection with dia 15 copper pipe, nickel plated

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 L <sub>min</sub> = 200 mm		9016.240	20	pc	
14×2 L <sub>min</sub> = 200 mm		9014.460	20	pc	
14×2 L <sub>min</sub> = 300 mm		9015.250	15	pc	
18×2,5 L <sub>min</sub> = 200 mm		9015.240	20	pc	
18×2,5 L <sub>min</sub> = 300 mm		9015.270	10	pc	

**Caution:**

Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



### tee for radiator connection with dia 15 copper pipe, L<sub>min</sub> = 300 mm, nickel plated

GROUP: A


Size	*	Code	Packing	UM	Price EUR/UM
12×2 / 12×2		9013.49	50	pc	
14×2 / 14×2		9013.14	50	pc	
18×2,5 / 18×2,5		9006.310	50	pc	
25×3,5 / 25×3,5		9003.700	40	pc	
32×4,4 / 32×4,4		9019.150	25	pc	

**Caution:**

All fittings are nickel plated.

Use RH and LH reduction tees to connect radiators. RH tee identification: looking at bigger diameter the copper pipe bow should be at the right side. Drawing shows LH reduction tee.

Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



**Push reducing tee for radiator connection with dia 15 copper pipe,  
L<sub>min</sub> = 300 mm, nickel plated**

**GROUP: A**


Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 12×2 left		9013.480	50	pc	
14×2 / 12×2 right		9013.470	50	pc	
18×2.5 / 12×2 left		9013.560	50	pc	
18×2.5 / 12×2 right		9013.550	50	pc	
18×2.5 / 14×2 left		9013.500	50	pc	
18×2.5 / 14×2 right		9013.510	50	pc	
25×3.5 / 18×2.5 left		9013.270	40	pc	
25×3.5 / 18×2.5 right		9013.280	40	pc	
32×4.4 / 25×3.5 left		9019.090	30	pc	
32×4.4 / 25×3.5 right		9019.100	30	pc	

**Caution:**

All fittings are nickel plated.

Use RH and LH reduction tees to connect radiators. RH tee identification: looking at bigger diameter the copper pipe bow should be at the right side. Drawing shows LH reduction tee.

Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



**Push brass tee with copper pipe Ø15 nickel plated, L<sub>min</sub> = 750 mm**

**GROUP: A**


Size	*	Code	Packing	UM	Price EUR/UM
12×2 / 12×2		9013.13	25	pc	
14×2 / 14×2		9013.15	25	pc	
18×2,5 / 18×2,5		9006.320	25	pc	
25×3,5 / 25×3,5		9003.710	15	pc	
32×4,4 / 32×4,4		9019.160	10	pc	

**Caution:**

All fittings are nickel plated.

Use RH and LH reduction tees to connect radiators. RH tee identification: looking at bigger diameter the copper pipe bow should be at the right side. Drawing shows LH reduction tee.

Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



**Push reducing tee for radiator connection with dia 15 copper pipe,  
L<sub>min</sub> = 750 mm, nickel plated**

**GROUP: A**


Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 12×2 left		9013.460	25	pc	
14×2 / 12×2 right		9013.440	25	pc	
18×2.5 / 14×2 left		9013.520	25	pc	
18×2.5 / 14×2 right		9013.530	25	pc	
25×3.5 / 18×2.5 left		9013.290	20	pc	
25×3.5 / 18×2.5 right		9013.300	20	pc	
32×4.4 / 25×3.5 left		9019.110	15	pc	
32×4.4 / 25×3.5 right		9019.140	15	pc	

**Caution:**

All fittings are nickel plated.

Use RH and LH reduction tees to connect radiators. RH tee identification: looking at bigger diameter the copper pipe bow should be at the right side. Drawing shows LH reduction tee.

Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

### Push PPSU wallplate elbow with short plastic plug

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 G½"		9017.340	5/60	pc	
14×2 G½"		9017.000	5/60	pc	
18×2,5 G½"		9017.020	5/60	pc	

**Caution:**

PPSU Wallplate elbow is sold with M8 nut and short plastic plug in a set.  
Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently.  
Sealing compounds like adhesives which are chemical aggressive should not be used.  
To seal the thread use tow with sealing compound (avoid using excessive amount of tow).



### Push wallplate elbow with short plastic plug


GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 G½" (K)		9017.030	5/70	pc	
18×2,5 G½" (K)		9017.050	5/70	pc	
18×2,5 G½" (D)		9017.070	5/60	pc	

(K) short version: a = 41 mm; b = 20 mm  
(D) long version: a = 52,5 mm; b = 31,5 mm

**Caution:**

To fix the wallplate elbow to the wall use the mounting plate. Battery connections can be used in central heating systems in connections of a radiator with wall outputs (by cables in a wall chase) by angle valve.  
Brass Wallplate elbow is sold with fixing bolt and short plastic plug in a set.  
Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently



### Push wallplate angle elbow with short plastic plug

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2,5 / 18×2,5 G½"		9017.090	5/60	pc	

**Caution:**

To fix the wallplate elbow to the wall use the mounting plate.  
To seal the thread use tow with sealing compound (avoid using excessive amount of tow).  
Sealing compounds like adhesives which are chemical aggressive should not be used.  
Brass Wallplate elbow is sold with fixing bolt and short plastic plug in a set.  
Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently.



### Push brass wallplate elbow

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
25×3,5 G¾"		9017.350	2/30	pc	

**Caution:**

To seal the thread use tow with sealing compound (avoid using excessive amount of tow).  
Sealing compounds like adhesives which are chemical aggressive should not be used.



### Push stop end cup

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2		9019.39	50/500	pc	
14×2		9019.40	50/500	pc	
18×2,5		9019.42	20/200	pc	
25×3,5		9019.43	10/150	pc	
32×4,4		9019.44	5/60	pc	



### plastic plug for pressure test - short - service part

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
G½"		6095.33	20/300	pc	

**Caution:**

Plastic plug is meant only to carry out tightness testing of the installation.  
The plug has its own sealing (O-ring).



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends



### mounting bolt - service part

**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
		<b>K-505100</b>	100/2000	pc	

**Caution:**

Use for wallplate elbow and tee to fix to the mounting plate.



### Push sliding sleeve

**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
12×2A		<b>9014.490</b>	50/700	pc	
14×2A		<b>9006.01</b>	50/700	pc	
18×2A / 18×2,5A		<b>9001.80</b>	50/500	pc	
25×3,5A		<b>9006.78</b>	20/200	pc	
32×4,4A		<b>9019.07</b>	10/100	pc	

**Caution:**

When assembling Push connections use assembly tools for PE-RT and PE-Xc pipes with appropriate inserts (purchase or rental of tools available in KAN branches).



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

# System **KAN-therm** Push - diameter 18×2,0

pipe PE-Xc with EVOH layer acc. to DIN 4726

**GROUP: C**

Size	*	Code	Packing	UM	Price EUR/UM
18×2		0.2148	200/3000	pc	



pipe PE-Xc with EVOH layer acc. to DIN 4726 - in 6 mm thermal insulation

**GROUP: C**

Size	*	Code	Packing	UM	Price EUR/UM
18×2 red		0.2148-6C	50/750	pc	
18×2 blue		0.2148-6N	50/750	pc	



pipe PE-RT with EVOH layer acc. to DIN 4726

**GROUP: C**

Size	*	Code	Packing	UM	Price EUR/UM
18×2		0.2178	200/3000	pc	



pipe PE-RT with EVOH layer acc. to DIN 4726 - in 6 mm thermal insulation

**GROUP: C**

Size	*	Code	Packing	UM	Price EUR/UM
18×2 red		0.2178-6C	50/750	m	
18×2 blue		0.2178-6N	50/750	m	



Push brass connector, with flange, with male thread

**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
18×2 G½"		9006.89K	10/150	pc	
18x2 G¾"		9006.50K	10/150	pc	



Push PPSU straight female connector

**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
18×2 G½"		9019.31	10/120	pc	



Push brass connector, with flange, with female thread

**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
18×2 G½"		9014.280	10/150	pc	



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

## Push PPSU coupling

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 18×2		9019.24	20/160	pc	
18×2 / 14×2		9019.25	20/200	pc	
25×3,5 / 18×2		9019.29	10/100	pc	



## Push reducing coupling

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 12×2		9016.260	20/400	pc	
25×3,5 / 18×2	***	9023.06	20/200	pc	



**Caution:**

This coupler is used for repair purposes (re-boring faults) as well as for joining of long pipe sections.

## Push PPSU tee

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 18×2 / 18×2		9018.010	10/80	pc	
14×2 / 18×2 / 14×2		9018.700	10/100	pc	
18×2 / 14×2 / 14×2		9018.220	10/80	pc	
18×2 / 14×2 / 18×2		9018.210	10/80	pc	
18×2 / 25×3,5 / 18×2		9018.230	5/40	pc	
25×3,5 / 14×2 / 18×2		9018.750	5/40	pc	
25×3,5 / 18×2 / 18×2		9018.050	5/40	pc	
25×3,5 / 18×2 / 25×3,5		9018.060	5/40	pc	
32×4,4 / 18×2 / 25×3,5		9018.540	2/20	pc	
32×4,4 / 18×2 / 32×4,4		9018.550	2/20	pc	



## Push brass tee

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 / 18×2 / 14×2	***	9013.39B	10/150	pc	
18×2 / 12×2 / 12×2		9013.570	10/120	pc	
18×2 / 12×2 / 14×2		9013.640	10/120	pc	
18×2 / 12×2 / 18×2		9013.600	10/120	pc	
18×2 / 18×2 / 14×2		9013.70	10/100	pc	
18×2 / 25×3,5 / 18×2	***	9013.12B	5/60	pc	
25×3,5 / 12×2 / 18×2		9013.36	5/60	pc	
25×3,5 / 14×2 / 18×2	***	9013.43B	5/60	pc	
25×3,5 / 18×2 / 18×2	***	9006.22B	5/60	pc	
25×3,5 / 18×2 / 25×3,5	***	9006.21B	5/60	pc	



## Push crossing pair single

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 18×2 / 18×2		9019.33	1/6	pc	
18×2 / 14×2 / 14×2		9019.34	1/6	pc	
18×2 / 14×2 / 18×2		9019.35	1/6	pc	
14×2 / 14×2 / 18×2		9019.36	1/6	pc	

**Caution:**

Brass nickel plated version. Not suitable for potable water installations.



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

### Push brass tee, with male thread

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 15Cu - G½"		9006.64B	10/120	pc	

**Caution:**

To connect these male tees to copper pipes use eurocone adapter for copper pipe Ø15, G½", code K-609010..



### Push PPSU elbow

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 18×2		9018.180	20/160	pc	



### Push brass male elbow (for connecting cooper pipes Ø15)

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 15Cu - G½"		9006.65B	20/200	pc	

**Caution:**

To connect these male tees to copper pipes use eurocone adapter for copper pipe Ø15, G½", code K-609010.



### Push tee for radiator connection with dia 15 copper pipe, L<sub>min</sub> = 300 mm, nickel plated


GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 18×2		9001.770	50	pc	

**Caution:**

All fittings are nickel plated.

Use tees to connect radiators. Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



### Push reducing tee for radiator connection with dia 15 copper pipe, L<sub>min</sub> = 300 mm, nickel plated

GROUP: A


Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 14×2 left		9013.16	60	pc	
18×2 / 14×2 right		9013.17	50	pc	
25×3.5 / 18×2 left		9003.130	40	pc	
25×3.5 / 18×2 right		9003.720	40	pc	

**Caution:**

All fittings are nickel plated.

Use RH and LH tees to connect radiators. RH tee identification: looking at bigger diameter the copper pipe bow should be at the right side. Drawing shows LH tee.

Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



### Push tee for radiator connection with dia 15 copper pipe, L<sub>min</sub> = 750 mm, nickel plated


GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 18×2		9001.830	25	pc	

**Caution:**

All fittings are nickel plated.

Use tees to connect radiators. Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

**Push reducing tee for radiator connection with dia 15 copper pipe,  
L<sub>min</sub> = 750 mm, nickel plated**

**GROUP: A**


Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 14×2 left		9013.18	25	pc	
18×2 / 14×2 right		9013.19	25	pc	
25×3.5 / 18×2 left		9003.140	20	pc	
25×3.5 / 18×2 right		9003.730	20	pc	

**Caution:**

All fittings are nickel plated.

Use RH and LH reduction tees to connect radiators. RH tee identification: looking at bigger diameter the copper pipe bow should be at the right side. Drawing shows LH reduction tee.


Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



**Push coupling for radiator connection with dia 16 multilayer pipe,  
L<sub>min</sub> = 500 mm**

**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
16×2 / 18×2		9027.170	50	pc	




**Push fixed elbow for radiator connection with dia 15 copper pipe,  
nickel plated**

**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
18×2 L <sub>min</sub> = 210 mm		9014.470	60	pc	
18×2 L <sub>min</sub> = 300 mm		9016.580	60	pc	
18×2 L <sub>min</sub> = 750 mm		9016.590	25	pc	

**Caution:**

Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections".



**double fixed elbow for radiator connection with dia 15 copper  
pipe, nickel plated**


**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
18×2 L <sub>min</sub> = 200 mm		9014.480	20	pc	
18×2 L <sub>min</sub> = 300 mm		9015.260	15	pc	

**Caution:**

Pipes to be cut using minicutter, code 210416.

Various connection options for the fittings with nickel plated tubes with all kinds of fittings are described in the technical part of the catalog - "Screw connections for pipe PE-RT and PE-Xc".



**Push PPSU wallplate elbow with short plastic plug**

**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
18×2 G1/2"		9017.010	5/60	pc	

**Caution:**

PPSU Wallplate elbow is sold with M8 nut and short plastic plug in a set.

Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently.

Sealing compounds like adhesives which are chemical aggressive should not be used.

To seal the thread use tow with sealing compound (avoid using excessive amount of tow).



**Push brass wallplate elbow with short plastic plug**

**GROUP: A**

Size	*	Code	Packing	UM	Price EUR/UM
18×2 G1/2" (K)		9017.040	5/70	pc	
18×2 G1/2" (D)		9017.060	5/60	pc	

(K) short version: a = 41 mm; b = 20 mm


(D) long version: a = 52,5 mm; b = 31,5 mm

**Caution:**

To fix the wallplate elbow to the wall use the mounting plate. Battery connections can be used in central heating systems in connections of a radiator with wall outputs (by cables in a wall chase) by angle valve.

Brass Wallplate elbow is sold with fixing bolt and short plastic plug in a set.

Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently.



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

### Push brass wallplate angle tee with short plastic plug

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 / 18×2 G½"		9017.080	5/60	pc	

**Caution:**

To fix the wallplate elbow to the wall use the mounting plate.  
Brass Wallplate elbow is sold with fixing bolt and short plastic plug in a set.  
Plastic short plug is used to make a pressure test only and it shouldn't be used to blank off the installation permanently



### Push brass stop end cup

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2		9019.41	20/200	pc	



### plastic plug for pressure test - short - service part

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
G½"		6095.33	20/300	pc	

**Caution:**

It may be repeatedly use (has O-Ring seal) and should be used for all KAN-therm wallplate elbows and wallplate tees.  
Plastic short plug is used only to make the pressure test and it cannot be use to blank off the installation permanently



### mounting bolt - service part

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
		K-505100	100/2000	pc	

**Caution:**

Use for wallplate elbow and tee to fix to the mounting plate.



### Push brass sliding sleeve

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2A / 18×2,5A		9001.80	50/500	pc	

**Caution:**

When assembling Push connections use assembly tools for PE-RT and PE-Xc pipes with appropriate inserts (purchase or rental of tools available in KAN branches).



### eurocone adapter for PE-RT & PE-Xc pipes

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18×2 G¾"		9006.59	15/150	pc	

**Caution:**

Eurocone adapter enables self sealing connections with male thread fittings and manifold nipples.



### compression ring - service part for screw fittings

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
18		9001.96	100/1000	pc	

**Caution:**

For screw connections only.



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

# System **KAN-therm** Push/Push Platinum - and screwed connections

## pipe PE-Xc/Al/PE-HD Push Platinum

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
14×2		0.1420	200/3000	m	
18×2,5		0.1825	200/3000	m	



## pipe PE-Xc with EVOH layer acc. to DIN 4726

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
12×2		0.2144	200/4000	m	
14×2		0.2145	200/4000	m	
16×2		0.2146	200/3000	m	
18×2		0.2148	200/3000	m	
18×2,5		0.9119	200/3000	m	
25×3,5		0.9127	50/1000	m	
32×4,4		0.9133	25/500	m	



## pipe PE-Xc with EVOH layer acc. to DIN 4726 in a bar

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
32×4,4		0.9135	5/50	m	



## pipe PE-Xc with EVOH layer acc. to DIN 4726 - in 6 mm thermal insulation

GROUP: C


Size	*	Code	Packing	UM	Price EUR/UM
12×2 red		0.2144-6C	50/750	m	
12×2 blue		0.2144-6N	50/750	m	
14×2 red		0.2145-6C	50/750	m	
14×2 blue		0.2145-6N	50/750	m	
18×2 red		0.2148-6C	50/750	m	
18×2 blue		0.2148-6N	50/750	m	
18×2,5 red		0.9119-6C	50/750	m	
18×2,5 blue		0.9119-6N	50/750	m	



## pipe PE-RT with EVOH layer acc. to DIN 4726

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
12×2		0.2174	200/4000	m	
14×2		0.2175	200/4000	m	
16×2		0.2176	200/3000	m	
18×2		0.2178	200/3000	m	
18×2,5		0.2177	200/3000	m	
25×3,5		0.9226	50/1000	m	
32×4,4		0.9228	25/500	m	



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

pipe PE-RT with EVOH layer acc. to DIN 4726 - in 6 mm thermal insulation

GROUP: C

Size	*	Code	Packing	UM	Price EUR/UM
14×2 red		0.2175-6C	50/750	m	
14×2 blue		0.2175-6N	50/750	m	
18×2 red		0.2178-6C	50/750	m	
18×2 blue		0.2178-6N	50/750	m	
18×2,5 red		0.2177-6C	50/750	m	
18×2,5 blue		0.2177-6N	50/750	m	
25x3,5 red	*	0.9226-6C	25/375	m	
25x3,5 blue	*	0.9226-6N	25/375	m	



eurocone adapter for PE-Xc/Al/PE-HD Platinum pipes

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 G¾"		9004.16	15/150	pc	
18×2,5 G¾"		9004.24	15/150	pc	

**Caution:**  
Eurocone adapter enables self sealing connections with male thread fittings and manifold nipples.



eurocone adapter for PE-RT & PE-Xc pipes

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 G½"		9012.91	15/300	pc	
12×2 G¾"		9012.92	15/150	pc	
14×2 G½"		9003.47	15/300	pc	
14×2 G¾"		9006.56	15/150	pc	
16×2 G¾"		9006.57	15/150	pc	
18×2 G¾"		9006.59	15/150	pc	
18×2,5 G¾"		9006.48	15/150	pc	
25×3,5 G1"		9003.67	10/80	pc	

**Caution:**  
Eurocone adapter enables self sealing connections with male thread fittings and manifold nipples



brass compression straight male connector

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 G½"		9014.23	10/150	pc	
14×2 G½"		9006.42	10/150	pc	
16×2 G½"		9006.43	10/150	pc	
18×2 G½"		9001.94	10/150	pc	
18×2,5 G½"		9006.44	10/150	pc	
25×3,5 G½"		9014.310	10/80	pc	
25×3,5 G¾"		9001.90	10/80	pc	
32×4,4 G1"		9019.000	5/30	pc	

**Caution:**  
Possibility of connecting with general purpose fittings.



brass compression straight male connector for PE-Xc/Al/PE-HD Platinum pipes

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
14×2 G½"		9007.42	10/150	pc	
18×2,5 G½"		9007.44	10/150	pc	



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends



## brass compression straight female connector

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2 G½"		9014.320	10/150	pc	
14×2 G½"		9014.330	10/150	pc	
16×2 G½"		9014.340	10/150	pc	
18×2 G½"		9014.350	10/150	pc	
18×2,5 G½"		9014.360	10/150	pc	
25×3,5 G¾"		9014.370	10/80	pc	
32×4,4 G1"		9019.010	5/30	pc	

**Caution:**

Possibility of connecting with general purpose fittings.



## brass coupling

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12×2		9014.16	10/120	pc	
14×2		9014.13	10/120	pc	
16×2		9014.14	10/150	pc	
18×2		981	10/120	pc	
18×2,5		9014.17	10/120	pc	
25×3,5		9014.19	5/60	pc	
32×4,4		9019.02	2/30	pc	

**Caution:**

This coupling is used for repair purposes (re-boring faults) as well as for joining of long pipe sections



## compression ring - service part for screw fittings

GROUP: A

Size	*	Code	Packing	UM	Price EUR/UM
12		9012.913	100/1000	pc	
14		9006.95	100/1000	pc	
16		9006.97	100/1000	pc	
18		9001.96	100/1000	pc	
25		9001.92	50/500	pc	

**Caution:**

For screw connections only.



# Tools for Push connections Push/ Push Platinum

## case set - battery crimping and expanding tools for Push connectors

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		KPPR-PUSHAK	1	pc	

**Caution:**

It consists of the following items:

1. Battery crimping tool AAP102 - code: KPPR-PUSHAK1N - 1 pcs.
2. Battery expanding tool AXI102 - code: KPPR-PUSHAK2N - 1 pcs.
3. Battery 12V 1,5Ah (standard) - code: 17660-50 - 2 pcs.
4. Battery charger - code: 17662-50 - 1 pcs.
5. Briefcase - code: 4516601-302 - 1 pcs.
6. Insert set box - code: 38530-50 - 1 pcs.
7. Insert set (for PPSU tees and elbows) - code: 12×2 - PT1-8471, 14×2 - PT1-8469, 18×2 (18×2,5) - PT1-8468, 25×3,5 - PT1-8467 (1 pc. per set).
8. Insert set (for couplings) - code: 12×2 - P1-8471, 14×2 - P1-8469, 18×2 (18×2,5) - P1-8468, 25×3,5 (32×4,4 PPSU) - P1-8467 (2 pcs. per set).
9. Expanding head (for PE-RT & PE-Xc only) - code: 12×2 - Z1-P12N, 14×2 - Z1-P14N, 18×2 - Z1-P18N, 18×2,5 - Z1-P185N, 25×3,5 - Z1-P25N, 32×4,4 - Z1-P32N (1 pc. per set) - only for PE-Xc and PE-RT pipes.

**Area of application:** Push (12-32 mm), Push Platinum (14-32 mm)



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

### case set - battery crimping tool for Push connectors

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		AAP102 KPL	1	pc	

**Caution:**

It consists of the following items:

1. Battery crimping tool AAP102 - code: KPPR-PUSHAK1N - 1 pcs.
2. Battery 12V 1,5Ah (standard) - code: 17660-50 - 2 pcs.
3. Battery charger - code: 17662-50 - 1 pcs.
4. Briefcase - code: 4516601-302 - 1 pcs.
5. Insert set box - code: 38530-50 - 1 pcs.
6. Insert set (for PPSU tees and elbows) - code: 12x2 - PT1-8471, 14x2 - PT1-8469, 18x2 (18x2,5) - PT1-8468, 25x3,5 - PT1-8467 (1 pc. per set).
7. Insert set (for couplings) - code: 12x2 - P1-8471, 14x2 - P1-8469, 18x2 (18x2,5) - P1-8468, 25x3,5 (32x4,4 PPSU) - P1-8467 (2 pcs. per set).

**Area of application:** Push (12-32 mm), Push Platinum (14-32 mm).



### case set - battery expanding tool for PE-Xc and PE-RT pipes (12-32 mm)

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		AXI102 KPL	1	pc	

**Caution:**

It consists of the following items:

1. Battery expanding tool AXI102 - code: KPPR-PUSHAK2N - 1 pcs.
2. Battery 12V 1,5Ah (standard) - code: 17660-50 - 2 pcs.
3. Battery charger - code: 17662-50 - 1 pcs.
4. Briefcase - code: 4516601-302 - 1 pcs.
5. Expanding head - code 12x2 - Z1-P12N, 14x2 - Z1-P14N, 18x2 - Z1-P18N, 18x2,5 - Z1-P185N, 25x3,5 - Z1-P25N, 32x4,4 - Z1-P32N (1 pc. per set) - only for PE-Xc and PE-RT pipes.

**Area of application:** Push (12-32 mm), Push Platinum (14-32 mm).



### battery crimping tool for Push

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		AAP102 2BAT	1	pc	

**Caution:**

It consists of the following items:

1. Battery crimping tool AAP102 - code: KPPR-PUSHAK1N - 1 pcs.
2. Battery 12V 1,5Ah (standard) - code: 17660-50 - 2 pcs.

**Area of application:** Push (12-32 mm), Push Platinum (14-32 mm).



### battery expanding tool for PE-Xc and PE-RT pipes (12-32 mm)

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		AXI102 2BAT	1	pc	

**Caution:**

It consists of the following items:

1. Battery expanding tool AXI102 - code: KPPR-PUSHAK2N - 1 pcs.
2. Battery 12V 1,5Ah (standard) - code: 17660-50 - 2 pcs..

**Area of application:** Push (12-32 mm), Push Platinum (14-32 mm).



### battery charger CLi-12

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		17662-50	1	pc	

**Caution:**

charger for 12V 1,5Ah batteries code 17660-50.



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

### hydraulic Push tool with foot drive - KPPN set

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		KPPN-PUSH	1	set	

**Caution:**

It consists of the following items: PN01, PT1-8471, PT1-8469, PT1-8468, PT1-8467, P1-8471 (2 pcs.), P1-8469 (2 pcs.), P1-8468 (2 pcs.), P1-8467 (2 pcs.), 84550N, Z1-P12N, Z1-P14N, Z1-P18N, Z1-P185N, Z1-P25N, Z1-P32N, 002.001.003, 0.2125.

**Caution:**

Expanding heads only for PE-RT and PE-Xc pipes.

**Area of application:** Push (12-32 mm), Push Platinum (14-32 mm).



### hydraulic Push tool with foot drive

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
	*	PN01	1	pc	

**Caution:**

For connection Push/Push Platinum.

**Area of application:** Push (12-32 mm), Push Platinum (14-32 mm).



### Mechanical hand Push Platinum tool set

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		KPPR-PLAT	1	set	

**Caution:**

It consists of the following items: 0.2125, PR01/N, MZH1418, MZH2532, PT1-8469, PT1-8468, PT1-8467.

P1-8469 (2 pcs.), P1-8468 (2 pcs.), P1-8467 (2 pcs.), 84550N, Z-P14PLAT, Z-P18PLAT, Z-P185PLAT, Z-P25PLAT, Z-P32PLAT, 002.001.002.

**Caution:**

Expanding heads only for PE-Xc/Al/PE-HD Platinum pipes.

**Area of application:** Push Platinum (14-32 mm).



### mechanical hand Push tool - KPPR set

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		KPPR-PUSH	1	set	

**Caution:**

It consists of the following items: 0.2125, PR01/N, MZH1418, MZH2532, PT1-8471, PT1-8469, PT1-8468,

PT1-8467, P1-8471 (2 pcs.), P1-8469 (2 pcs.), P1-8468 (2 pcs.), P1-8467 (2 pcs.), 84550N, Z1-P12N, Z1-P14N, Z1-P18N, Z1-P185N, Z1-P25N, Z1-P32N, 002.001.002.

**Caution:**

Expanding heads only for PE-RT and PE-Xc pipes.

**Area of application:** Push (12-32 mm), Push Platinum (14-32 mm).



### mechanical hand Push tool - Light set

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
		KPPR-PUSH-L	1	set	

**Caution:**

It consists of the following items: 002.001.002 (1 pcs.); 84550N (1 pcs.); PR01/N (1 pcs.); MZH1418 (1 pcs.);

PT1-8469 (2 pcs.); PT1-8468 (2 pcs.); P1-8469 (1 pcs.); P1-8468 (1 pcs.); Z1-P14N (1 pc); Z1-P185N (1 pcs.);

**Caution:**

Expanding heads only for PE-RT and PE-Xc pipes.

**Area of application:** Push (14-18 mm).



### manual mechanical tool

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
	*	PR01/N	1	pc	

**Caution:**

For connection Push/Push Platinum.

**Area of application:** Push (12-32 mm), Push Platinum (14-32 mm).



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

## forks set

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
12-18 (set - 2pc)	*	MZH1418	1	set	
25-32 (set - 2pc)	*	MZH2532	1	set	

**Caution:**

For connection Push/Push Platinum.

Area of application: Push (12-32 mm), Push Platinum (14-32 mm)



## insert for mechanical Push tool

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
12×2		PT1-8471	1	pc	
14×2		PT1-8469	1	pc	
18×2 (18×2,5)		PT1-8468	1	pc	
25×3,5		PT1-8467	1	pc	

**Caution:**

Can be used together with hydraulic with foot drive or mechanical or electric-hydraulic Push tool. For mounting of elbows and tees made of PPSU from fitting side following inserts are to be used:

- PT1-8471 for diameter 12 (black insert),
- PT1-8469 for diameter 14 (black insert),
- PT1-8468 for diameter 18 (black insert),
- PT1-8467 for diameter 25 (black insert),
- P1-8467 or diameter 32 (nickel plated insert).

For PPSU body never use inserts for brass elbows and tees Push P8465, P8464, P8463 or inserts for wallplate elbows P8470.



## insert for mechanical Push tool

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
12×2		P1-8471	1	pc	
14×2		P1-8469	1	pc	
18×2 (18×2,5)		P1-8468	1	pc	
25×3,5 (32×4,4 PPSU)		P1-8467	1	pc	



## insert for mechanical Push tool (for brass Push tees and elbows)

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
14×2	*	P8465	1	pc	
18×2 (18×2,5)	*	P8463	1	pc	
25×3,5 (32×4,4)	*	P8464	1	pc	

**Caution:**

Shaped inserts are not compatible with hand chain crimping tools.



## insert for mechanical Push tool (for Push brass wallplate elbows)

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
18×2	*	P8470	1	pc	

**Caution:**

Shaped inserts are not compatible with hand chain crimping tools.



## external bending spring for PE-Xc/Al/PE-HD Platinum pipes

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
14	*	SZ-1410	1	pc	
18		SZ-1814	1	pc	
25		SZ-2620	1	pc	



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

### special spanner for eurocone adapters

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
30 mm	*	K-501900	1	pc	

**Caution:**

The spanner intended for eurocone adapter G $\frac{3}{4}$ " montage.



### expanding tool for pipes

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
12-32	*	84550N	1	pc	



### grease for expanding tool

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
		smar	1	pc	

**Caution:**

Used for expanding tool 84550N



### one set of Push expanding heads One step

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
14-32		Z1-KPL	1	set	

**Caution:**

Do not use for KAN-therm Push Platinum System assembly.



### expanding head for PE-Xc/Al/PE-HD Platinum pipes

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
14x2		Z-P14PLAT	1	pc	
18x2,5		Z-P185PLAT	1	pc	
25x3,5		Z-P25PLAT	1	pc	
32x4,4		Z-P32PLAT	1	pc	

**Caution:**

Above expanding heads are not a standard elements of KAN-therm Push tools sets. In case of mounting KAN-therm Push Platinum system, all tools sets has to be equipped with above expanding heads.



### expanding head for pipes PE-RT and PE-Xc

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
12x2		Z1-P12N	1	pc	

**Caution:**

Do not use for mounting KAN-therm Push Platinum System.



### expanding head for pipes PE-RT and PE-Xc "One step"

GROUP: K

Size	*	Code	Packing	UM	Price EUR/UM
14x2		Z1-P14N	1	pc	
18x2		Z1-P18N	1	pc	
18x2,5		Z1-P185N	1	pc	
25x3,5		Z1-P25N	1	pc	
32x4,4		Z1-P32N	1	pc	

**Caution:**

Do not use for mounting KAN-therm Push Platinum System.



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends

### tool case for hydraulic tool with foot drive

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
	*	002.001.003	1	pc	

**Caution:**

It consists of the following items: foot operated hydraulic press, code PN01, press inserts, pipe expander, code 84550, expanding heads, pipe cutters PE-Xc and PE-RT, code 0.2125.



### tool case for manual mechanical tool

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
	*	002.001.002	1	pc	

**Caution:**

For manual mechanical Push tool PR01/N, inserts, expanding tool 84550, expanding head, cutter for pipes PE-Xc and PE-RT, code 0.2125



### cutter for Ø12-32 pipes

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
	*	0.2125	1/25	pc	



### cutters replacement blade for Ø12-32 pipes

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
	*	0.2125-O	1	pc	



### minicutter for Ø15 copper pipes 4-16 mm

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
	*	210416	1	pc	



### 2.9mm cutting wheel for mini pipe cutter

GROUP: K

	*	Code	Packing	UM	Price EUR/UM
	*	334R	1	pc	



\* on request (delivery time up to 4 weeks)

\*\* availability by individual arrangements

\*\*\* till stock ends